

CERTIFICATE OF ANALYSIS POTENCY



RECEIVED: 05/27/2022

Steve's Distributing LLC 1500 KANSAS AVE Longmont, Colorado 80501 7208998005 405R-00016.60 Name: Type: ID: Batch ID: METRC Tag:

% CANNABINOIDS

CBD Vape Cartridge Concentrates & Extracts 220501438.15043 000085

1A4000B00012FE9000003237

TESTED: 05/27/2022 REPORTED: 05/30/2022

ANALYTE	LOD	LOQ	MU	AMOUNT	AMOUNT
	%	%	mg/unit	mg/g	%
THCa	0.2265	0.453	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
D9-THC	0.2265	0.453	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
D8-THC	0.2265	0.453	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBDa	0.2265	0.453	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBD	0.2265	0.453	5.857	585.66	58.566
CBDVa	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBDV	0.106	0.212	0.026	2.64	0.264
CBN	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBGa	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBG	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBCa	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBC	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
CBL	0.106	0.212	0.000	<lod< th=""><th><lod< th=""></lod<></th></lod<>	<lod< th=""></lod<>
Sur	n of Measure	588.300	58.830		

ANALYTE	TOTAL*
THC	<lod< th=""></lod<>
CBD	58.57%
CBG	<lod< th=""></lod<>
CBDV	0.26%

*Total is the sum of the neutral (active) cannabinoid and the completely converted acidic cannabinoid

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, NR = Not Reported

NOTES AND INTERPRETATIONS

Analyzed via AAM-001 using Agilent 1220 HPLC-DAD. Limits are based on CO 6 CCR 1010-21. Sample was analyzed as received. Deviations from SOP: None.



Results Analyzed By: Curtis Peralta Associate Chemist



Results Approved By: Tyler Dorsey Associate Chemist







Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified – Scan QR code to verify authenticity

